

MySQL 的 使用

MySQL 的 使用 SUM, GROUP 和 ORDER

MySQL 的 使用 (20, 19, 18... 1) Player 的 使用

MySQL 的 使用 :

```
CREATE TABLE `tbl_event_A` (  
  `sn` int(11) unsigned NOT NULL AUTO_INCREMENT COMMENT 'SN',  
  `playerid` int(11) unsigned NOT NULL COMMENT 'PlayerID',  
  `logday` int(11) unsigned NOT NULL COMMENT '日期',  
  `winpoint` int(11) NOT NULL COMMENT '得分',  
  `score` int(11) NOT NULL COMMENT '得分',  
  `week` tinyint(3) NOT NULL COMMENT '周',  
  PRIMARY KEY (`sn`),  
  KEY `logdate` (`logday`)  
) ENGINE=MyISAM;  MySQL 的 使用 Query 的 使用 Select
```

MySQL 的 使用 [select 的 使用](#) 的 使用

MySQL 的 使用 RANK() OVER() ROW_NUMBER() 的 使用

MySQL 的 使用 [mysql select auto increment number](#) 的 使用

MySQL 的 使用 (MySQL) 的 使用

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

query SUM, GROUP ORDER BY

```
SELECT 21-(@SN:=@SN+1) as Score, PlayerID, WinPoint FROM (SELECT PlayerID,
SUM(winpoint) as WinPoint FROM tbl_dailyplayerpoint WHERE logday='$Yesterday' GROUP
BY PlayerID ORDER BY WinPoint DESC LIMIT 20) as Dummy1, (SELECT @SN:=0) as
Dummy2; 0000000000000000 !! +-----+-----+-----+ | Score | PlayerID | WinPoint |
```

□□□□□□□□ query □□□□□□□□□□□□□□□□□□□□!!

2 / 3

[][MySQL] SELECT 表 数据库数据库数据库

Administrator

, 20 2014 18:53 -

21-(@SN:=@SN+1), PlayerID, WinPoint,\$Yesterday',\$week' FROM (SELECT PlayerID, SUM(winpoint) as WinPoint FROM tbl_dailyplayerpoint WHERE logday=\$Yesterday' GROUP BY PlayerID ORDER BY WinPoint DESC LIMIT 20) as Dummy1, (SELECT @SN:=0) as Dummy2;

PHP 表 cron table 数据库数据库数据库!!

数据库数据库!!